

# SAFETY DATA SHEET Regulation (EC) No 1907/2006 (REACH) and 2015/830

# Section 1. Identification of the Substance/Mixture and of the Company/Undertaking

#### **1.1 Product Identifier**

Product Name: Adhere Black Glue-On -Shoe Part B

**1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against** Product Use: Adhesive

# 1.3 Details of the Supplier of the Safety Data Sheet

Supplier: METREX<sup>®</sup> RESEARCH 28210 Wick Rd Romulus, MI 48174 U.S.A.

# **1.4 Emergency Telephone Number**

CHEMTREC: 1-703-527-3887 (Outside the US)

Information Phone Number: 1-800-841-1428 (Customer Service) SDS Date of Preparation/Revision: April 2, 2018

# Section 2. Hazards Identification

# 2.1 Classification of the Substance or Mixture

# **GHS Classification:**

Skin Irritation Category 2 H315 Skin Sensitization Category 1 H317 Eye Damage Category 1 H318

# 2.2 Label Elements

Danger!



Contains M-xylene-alpha, alpha'-diamine

#### **Hazard Phrases**

H315 Causes skin irritation.H317 May cause an allergic skin reaction.H318 Causes serious eye damage.

# **Prevention:**



P280 Wear protective gloves and eye protection.

#### **Response:**

P333 + P313 If skin irritation or rash occurs: Get medical attention.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

2.3 Other Hazards: None known.

# Section 3. Composition/Information On Ingredients

#### 3.2 Mixture

Component	CAS No./	Amount	GHS Classification	
	EC No.			
Glycerol Poly(Oxyethylene,	9082-00-2	40-70	Not hazardous	
Oxypropylene) Ether				
Trimethylolpropane	25723-16-4 /	10-40	Not hazardous	
Poly(Oxypropylene) Triether	500-041-9			
Tetrakis(2-	102-60-3 /	10-30	Eye Irrit 2 H319	
hydroxypropyl)ethylenediamine	203-041-4			
M-xylene-alpha,alpha'-diamine	1477-55-0/	1-4	Acute Tox. 4 H302, H332	
	216-032-5		Skin Corr. 1B H314	
			Eye Damage 1 H318	
			Skin Sens. 1B H317	
			Aquatic Chronic 3 H412	
			EUH 071 Corrosive to respiratory tract	

# Section 4. First Aid Measures

# 4.1 Description of First Aid Measures

**Eyes:** Immediately flush eyes with water for 20 minutes while lifting the upper and lower lids. Get immediate medical attention.

**Skin:** Remove contaminated clothing. Wash skin thoroughly with soap and water. If irritation or rash develop, get medical attention. Launder clothing before re-use.

Inhalation: Immediately remove to fresh air. If breathing is difficult or other symptoms develop, get medical attention.

**Ingestion:** If conscious, rinse mouth with water. Never give anything by mouth to a person who is unconscious or convulsing. Do not induce vomiting. Get medical attention.

**4.2 Most Important symptoms and effects, both acute and delayed:** Causes severe eye or burns. Permanent damage may occur. Causes skin irritation. May cause allergic skin reaction.

**4.3 Indication of any immediate medical attention and special treatment needed:** If eye contact occurs, get immediate medical attention.

**Section 5. Firefighting Measures** 

**5.1 Extinguishing Media:** Use any extinguishing media that is appropriate for the surrounding fire. Cool fire exposed containers with water.

**5.2 Special Hazards arising from the Substance or Mixture:** Combustion may produce carbon and nitrogen oxides and aldehydes.

**5.3 Advice for Firefighters:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored. Do not allow run-off from firefighting to enter drains or water courses. Decontaminate equipment and protective clothing before reuse.

# **Section 6: Accidental Release Measures**

**6.1 Personal Precautions, Protective Equipment and Emergency Procedures:** Wear appropriate protective clothing as described in Section 8. Ventilate the area. Evacuate area. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice.

**6.2 Environmental Precautions:** Avoid release to the environment. Report spill as required by local and federal regulations.

**6.3 Methods and Material for Containment and Cleaning Up:** Contain spill. Cover with absorbent material. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Collect as much of the spilled material as possible. Place in an approved container for disposal. Seal container.

# 6.4 Reference to Other Sections:

Refer to Section 8 for personal protective equipment and Section 13 for disposal information.

# Section 7. Handling and Storage

**7.1 Precautions for Safe Handling:** Avoid breathing vapors or mists. Prevent contact with eyes. Avoid contract with skin, or clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse.

**7.2 Conditions for Safe Storage, Including any Incompatibilities:** Store in a well-ventilated place. Store away from oxidizing agents and other incompatible materials.

# 7.3 Specific end use(s): Adhesive

# Section 8. Exposure Controls/Personal Protection

# 8.1 Control Parameters:

Chemical	Exposure Limit
Glycerol Poly(Oxyethylene,	None Established
Oxypropylene) Ether	
Trimethylolpropane	None Established
Poly(Oxypropylene) Triether	
Tetrakis(2-	None Established

hydroxypropyl)ethylenediamine	
M-xylene-alpha,alpha'-diamine	0.1 mg/m <sup>3</sup> STEL France OEL

# 8.2 Exposure Controls:

Recommended Monitoring Procedures: Contact professional occupational hygienist for monitoring.

**Appropriate Engineering Controls:** Use with adequate general or local exhaust ventilation to maintain exposures below the occupational exposure limits. If ventilation is not adequate, use respiratory protection equipment.

# Personal Protective Measurers

**Respiratory Protection:** Based on the results of the exposure assessment, a half-face air-purifying respirator suitable for organic vapors and particulates should be used with A & P filters. Select in accordance with EU standard EN 140 or EN 136, other applicable regulations and good industrial hygiene practice. For firefighting, use self-contained breathing apparatus.

Hand protection: Impervious gloves such as butyl rubber, neoprene or fluoroelastomer are recommended. Select in accordance with EU standard EN 374

Eye Protection: Indirect vented goggles are recommended. Select in accordance with EU standard EN 166.

Skin Protection: Wear protective clothing as needed to avoid skin contact.

**Other protection:** Wash contaminated clothing or dispose of properly. A safety shower and eye wash should be available in the immediate work area.

# **Section 9. Physical and Chemical Properties**

# 9.1 Information on Basic Physical and Chemical Properties:

Appearance:	Beige, viscous liquid	Vapor Pressure:	Not available	
Odor:	Slight ammonia like odor.	Vapor Density:	>1 (air = 1)	
Odor Threshold:	Not available	Relative Density /Specific Gravity:	1.0-1.1	
pH:	Not applicable	Solubility in Water:	Negligible	
Melting/Freezing Point:	Not available	Partition Coefficient: (n-octanol/water)	Not applicable	
Initial Boiling Point/Range:	>204.4°C / >399.9°F	Auto-ignition Temperature:	Not applicable	
Flash Point:	>143.3°C (>289.94°F) TCC	Decomposition Temperature:	Not applicable	
Evaporation Rate:	>1 (water = 1)	Viscosity:	1,800-2,900 mPas	
Flammability: (solid/gas)	Not applicable	Explosive Properties:	None	
Flammable/ Explosive Limits:	Not applicable	Oxidizing Properties:	None	

# Section 10. Stability and Reactivity

**10.1 Reactivity:** Not expected to react under normal handling.

**10.2 Chemical Stability:** Stable under normal storage and handling conditions.

10.3 Possibility of Hazardous Reactions: None known.

**10.4 Conditions to Avoid:** None known.

10.5 Incompatible Materials: Strong acids and strong oxidizing agents. .

**10.6 Hazardous Decomposition Products:** Thermal decomposition will produce oxides of carbon and nitrogen and aldehydes.

# Section 11. Toxicological Information

**11.1 Information on Toxicological Effects:** 

# **Potential Health Effects:**

**Inhalation**: May cause respiratory irritation with coughing, sneezing, nasal discharge, headache, hoarseness and nose and throat pain.

**Skin Contact:** Causes skin irritation with localized redness, swelling, itching, dryness, cracking, blistering, and pain. May cause allergic skin reaction with redness, swelling, blistering, and itching.

**Eye Contact**: Causes severe irritation or burns with cloudy appearance of the cornea, chemical burns severe pain, tearing, ulcerations and impaired vision. Permanent damage may occur.

Ingestion: Swallowing may cause gastrointestinal irritation, abdominal pain, nausea, vomiting and diarrhea.

# Acute Toxicity Values: No toxicity data is available for the product.

Acute Toxicity Estimate (ATE): Oral: >5,000 mg/kg, Inhalation >5 mg/L/4hr, Dermal >2000 mg/L Glycerol Poly(Oxyethylene,Oxypropylene) Ether: Oral rat LD50 >10,000 mg/kg, Dermal rabbit LD50 >5,000 Trimethylolpropane Poly(Oxypropylene) Triether: Oral rat LD50>2,500 mg/kg, Dermal rabbit LD50 >2,000 mg/kg Tetrakis(2-hydroxypropyl)ethylenediamine: Oral rat LD50 2890 mg/kg, Dermal rabbit LD50 >2,000 mg/kg M-xylene-alpha,alpha'-diamine: Oral rat LD50 980 mg/kg, Inhalation rat LC50 1.34 mg/L/4 hr, Dermal rabbit LD50 >3100 mg/kg

Skin corrosion/irritation: M-xylene-alpha,alpha'-diamine is corrosive to rabbit skin.

Eye damage/ irritation: M-xylene-alpha, alpha'-diamine is corrosive to rabbit eyes.

Skin Sensitization: M-xylene-alpha, alpha'-diamine was positive in a mouse local lymphnode assay.

Respiratory Sensitization: No data available. This product is not expected to cause respiratory sensitization. .

Germ Cell Mutagenicity: None of the components have been shown to cause gem cell mutagenicity.

Carcinogenicity: None of the components are classified as a carcinogen by the EU CLP.

**Developmental / Reproductive Toxicity:** None of the components are classified as reproductive or developmental toxins.

Specific Target Organ Toxicity (Single Exposure): No data available.

**Specific Target Organ Toxicity (Repeated Exposure):** This product is not expected to cause adverse effects from chronic exposure.

Aspiration Toxicity: None of the components are aspiration hazards.

# Section 12. Ecological Information

12.1 Toxicity: No toxicity data available for product

Glycerol Poly(Oxyethylene, Oxypropylene) Ether: 96 hr LC50 Danio rerio >100 mg/L, 48 hr EC50 daphnia magna >100 mg/L, 72 hr EC50 green algae >100 mg/L

Trimethylolpropane Poly(Oxypropylene) Triether: 96 hr LC50 Danio rerio >100 mg/L, 48 hr EC50 daphnia magna >100 mg/L, 72 hr EC0 Desmodesmus subspicatus >100 mg/L (read across)

Tetrakis(2-hydroxypropyl)ethylenediamine: 96 hr EC50 Leuciscus idus 4600 mg/L, 48 hr EC50 daphnia magna >100 mg/L, 72 hr EC50 Desmodesmus subspicatus 150.67 mg/L (read across)

M-xylene-alpha,alpha'-diamine: 96 hr LC50 Oryzias latipes 87.6 mg/L, 48 hr EC50 daphnia magna 15.2 mg/L, 72 hr EC50 Pseudokirchneriella subcapitata 20.3 mg/L

**12.2 Persistence and Degradability:** Trimethylolpropane poly(oxypropylene) triether is readily biodegradable. Tetrakis(2-hydroxypropyl)ethylenediamine and M-xylene-alpha,alpha'-diamine are not readily biodegradable.

**12.3 Bioaccumulative Potential:** Tetrakis(2-hydroxypropyl)ethylenediamine and trimethylolpropane poly(oxypropylene) triether have a BCF <3. M-xylene-alpha,alpha'-diamine has a BCF 3.16. This indicates the potential for bioaccumulation is low.

**12.4 Mobility in Soil:** No data available.

12.5 Results of PBT and vPvB assessment: This product is not a PBT and vPvB.

12.6 Other Adverse Effects: None known.

# Section 13. Disposal Considerations

# **13.1 Waste Treatment Methods:**

Dispose of contents and container in accordance with all local and national regulations.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incine polymerized may be placed in a landfill properly designed for industrial waste. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations.

Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EU Waste Code (as sold): 080409 Waste adhesives and sealants containing organic solvents or other dangerous substances.

# Adhere Black Glue-On -Shoe Part B Date Prepared: 4/2/18

# Section 14. Transport Information

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Transport Hazard Class(es)	14.4 Packing Group	14.5 Environmental Hazards
US DOT		Not Regulated			
EU ADR/RID		Not Regulated			
IMDG		Not Regulated			
IATA/ICAO		Not Regulated			

# 14.6 Special Precautions for User: None identified

# 14.7 Transport in Bulk According to Annex III MARPOL 73/78 and the IBC Code: Not applicable

# Section 15. Regulatory Information

# 15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

**Other EU Regulations**: This product is classified and labeled in accordance with CLP Regulation. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006 (REACH)

# 16. Other Information

# GHS Classification for Reference (See Sections 2 and 3):

Acute Tox. 4 Acute Toxicity Category 4 Skin Corr 1B Skin Corrosion Category 1B Skin Sens. 1B Skin Sensitization Category 1 Eye Dam 1 Eye Damage Category 1 Eye Irrit 2 Eye Irritation Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment Chronic Hazard Category 3

H302 Harmful if swallowed
H314 Causes severe skin burns and eye damage
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H412 Harmful to aquatic life with long lasting effects.
EUH 071 Corrosive to respiratory tract

Effective Date: April 2, 2018 Supersedes Date: New SDS Revision Summary: New SDS

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date of preparation, however, METREX® RESEARCH makes no warranty with respect to the accuracy or suitability of the recommendations, and assumes no liability to any use thereof.